



MITEL

IP Desktop – Phones and Peripherals

The Evolution of the Business Telephone

Mitel® continues its commitment to ease of use and enhanced user value at the desktop with an evolving portfolio. The desktop portfolio responds to the specialized and differing requirements of users, workgroups, departments, and branches across the enterprise with a range of desktop devices. From affordable entry-level IP phones to sophisticated network devices including wireless handsets, Gigabit Ethernet and IP DECT connectivity accessories, conference units and PC-based attendant consoles, Mitel has the right solution for you.



Mitel 5304 IP Phone

A cost-effective entry-level display phone that provides access to the features and applications enabled by Mitel's IP-based communications platforms, the 5304 IP Phone is a dual-mode, dual-port, two-line phone with a 40-character backlit display. It is specifically suited to areas where a small footprint is required: cruise ship cabins, hotel guest room phones, university dorms, classrooms or beside a cash register in the retail environment.



Mitel 5312 IP Phone

A dual-mode, dual-port, enterprise-class, multi-line IP phone with a full-duplex speakerphone, 40-character backlit display and user-programmable access to features and applications, the 5312 IP Phone is ideal as a teleworker phone. It provides intuitive access to sophisticated call handling and converged applications.



Mitel 5324 IP Phone

This feature-rich, dual-mode, dual-port, enterprise-class, multi-line IP phone has a 40-character backlit display, full-duplex handsfree operation and context-sensitive softkeys. The 5324 IP Phone is ideal for teleworkers and users who must change their feature set to meet changing needs. With it, users get superb call handling as well as user-programmable access to advanced voice communications. Peripheral modules can be easily installed on the 5324 IP Phone, fulfilling the need for users to have conferencing, additional buttons or teleworker local emergency access.



Mitel 5320 IP Phone

An economical, entry level, self-labeling enterprise phone with a large graphics display and built in speakerphone, the 5320 IP Phone is specifically designed for communications-intensive companies that require a converged IP infrastructure to deliver productivity and customer-enhancing applications and services to the user desktop. This includes unified communications, speech recognition, PC integration, contact center, and remote voice and data applications. It is ideal for enterprise executives, managers, and employees, and can be used as an ACD agent, as a supervisor phone, or as a teleworker phone.



Mitel 5330 IP Phone

This full-featured enterprise-class IP phone provides a large backlit graphics display with 24 programmable self-labeling keys, superior wideband audio and a built-in HTML toolkit for desktop applications development. Desktop applications including Mitel Unified Communicator® (UC) Express, Mitel Unified Communicator® (UC) Advanced and Mitel Intelligent Directory increase worker productivity by providing tighter integration between desktop devices and tools used by enterprise and small business knowledge workers. It is ideal for enterprise executives, managers and employees and can be used as an ACD agent, as a supervisor phone, or as a teleworker phone.



Mitel 5340 IP Phone

This executive-class IP Phone provides a large backlit graphics display with 48 programmable self-labeling keys, six intuitive call state-sensitive softkeys, superior sound quality with wideband audio and a built-in HTML toolkit for desktop applications development. Desktop applications including UC Express, UC Advanced and Intelligent Directory increase worker productivity by providing tighter integration between desktop devices and tools used by enterprise and small business knowledge workers. The 5340 IP Phone is ideal for any enterprise executive or manager, hot desk users, teleworkers, and contact center agents and supervisors.



Mitel 5360 IP Phone

The 5360 IP Phone is an exciting next generation desktop device that provides a large color touch display to graphically deliver rich applications to general business or across multiple vertical market sectors. It contains dual gigabit Ethernet ports, and 48 programmable, multi-function self-labeling keys. The phone has embedded applications and HTML Desktop Toolkit support for customized applications development delivered to the touch display.

Demonstrating Mitel's continued focus on the user, the 5360 IP Phone is equipped with a Gadget Sidebar which enables one-touch access to embedded or internet-based content and applications. The 5360 IP Phone is ideal for any enterprise executive or manager, teleworker, and contact center supervisor.



Mitel 5610 IP DECT Handset / Mitel IP DECT Stand

This unique accessory offers unprecedented convenience and Personal Area mobility for IP Phone users. The 5610 DECT Handset, with full dial pad and vibrant, illuminated color screen, gives users the freedom and mobility to move away from their desk within their office or adjacent offices. The IP DECT Stand simply snaps onto a Mitel IP Phone, and supports up to eight 5610 DECT Handsets. The 5610 DECT Handset and IP DECT Stand is the ideal mobility solution in hospitality, education, health care and retail, as well small and medium businesses and enterprise markets.



Mitel Gigabit Ethernet Stand

Ideal for users with high bandwidth requirements, Mitel Gigabit Ethernet Stand delivers the latest technology and advancements in Gigabit Ethernet connectivity for supported IP phones, cost effectively. This unique peripheral device gives all compatible Mitel IP phones the ability to migrate as the customer's network evolves, thereby providing capital investment protection.



Mitel Wireless LAN Stand

The innovative design of Mitel Wireless LAN Stand allows the wired IP phone to be converted to a wireless device, so it can operate as either a wireless client or an access point that supports voice, data and video over a wireless network. It is a unique accessory that provides many of Mitel's wired IP phones with 802.11 wireless connectivity, and can act as a wireless client, or as an access point, providing a wireless environment for multiple IP phones and wireless device.



Mitel Line Interface Module

The Line Interface Module allows the connection of an analog line to Mitel IP Phones to enable local line select-ability, emergency call diversion for remote workers, or failover capability for IP phones. It is ideal for remote teleworkers or users requiring phone access in the event of LAN failures. The patented Line Interface Module enhances Mitel's Teleworker service and extends Mitel's resiliency strategy for IP communications from the core of the network to the desktop.



Mitel IP Programmable Key Modules

Mitel IP Programmable Key Module (PKM) 12 and Mitel IP Programmable Key Module (PKM) 48 allow users to add 12 or 48 additional programmable keys. The IP PKMs can easily add 12 or 48 or up to 96 buttons to the existing phone's keys and are supported across a range of IP Phones.



Mitel 5310 IP Conference Unit

This full-duplex IP conference unit features exclusive acoustic beam-forming technology to eliminate ambient room noise and sidebar conversations. It is ideal for executive offices or conference rooms, and is supported across a range of IP Phones.



Mitel Cordless Accessories

The Mitel Cordless Handset and Mitel Cordless Headset, both DECT compliant, are unique accessories that offer unprecedented convenience and corridor mobility for supported Mitel IP Phone users. They allow the user to have personal area mobility with a range of up to 300 feet from their desk within their office or adjacent offices, while still communicating on their desktop phone.



Mitel 5550 IP Console

This advanced PC-based IP console and administration application features an intuitive graphical user interface (GUI) that includes screen-based call status and call handling prompts. Features include direct station select (DSS) and busy lamp field (BLF) status for up to 5,000 extensions, color customizable phonebook data fields, incoming caller identification, transferred calls and calls on hold screens, and unique functionality such as bulletin board and scratch pad. Presence and instant messaging support allow the console operator to see if someone is away from their desk, busy, or do not want to be disturbed. Instant messaging support allows operators to quickly send the user a message to let them know they have a call, or to ask them a quick question. The 5550 IP Console is ideal for high volume, call handling environments using the Mitel Communications Director (MCD) platform.



Mitel 5540 IP Console

The Mitel 5540 IP Console is the ideal attendant solution for small and medium businesses using the Mitel Communications Director (MCD) solution or the Mitel SX-200 IP Communications Platform (ICP). This attendant console supports the same functionality of the previous popular digital version, with the additional benefits of an IP platform base. It can be used as an attendant console, a sub-attendant position for departments or workgroups, or as a back-up answering position. Affordability, simplicity, and a broad range of standard and specialty functions make the 5540 IP Console the practical choice for small-business or hospitality customers.

5300 Series IP Desktop Phones Feature Matrix

For your convenience, here is a matrix of the current 5300 IP phone series that allows you to compare the features and functionality of each IP phone at a glance.

Physical	5304 IP Phone	5312 IP Phone	5324 IP Phone	5320 IP Phone	5330 IP Phone	5340 IP Phone	5360 IP Phone
Desk / Wall Mountable	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Desk / Wall Mount Stand	Not Included	Included	Included	Included	Included	Included	Included
5300 Series Handset (Version 4)	Yes	Yes	Yes	Yes	Yes (Wideband)	Yes (Wideband)	Yes (Wideband)
Length of Handset Cord	3 m/10'	3 m/10'	3 m/10'	3 m/10'	3 m/10'	3 m/10'	3 m/10'
LAN Ports	2(10/100)	2(10/100)	2(10/100)	2(10/100)	2(10/100)	2(10/100)	2(10/100/ 1000)
Ethernet Cable (2 m/7')	Included	Included	Included	Included	Included	Included	Included
Compression Support	G.711, G.729a	G.711, G.729a	G.711, G.729a	G.711, G.729a	G.711, G.729a	G.711, G.729a	G.711, G.729a
Voice QoS (802.1p/q)	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Encryption	128 bit AES ¹	128 bit AES ¹	128 bit AES ¹	128 bit AES ¹	128 bit AES ¹	128 bit AES ¹	128 bit AES ¹
802.1x Support	Yes	Yes	Yes	Yes	Yes	Yes	Yes
CLASS B Support	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Headset Jack	No	Yes	Yes	Yes	Yes	Yes	Yes
MTBF Rate (Years)	46.0	46.0	38.7	57.2	57.2	56.2	50.0

¹Advanced Encryption Standard

Peripherals Support	5304 IP Phone	5312 IP Phone	5324 IP Phone	5320 IP Phone	5330 IP Phone	5340 IP Phone	5360 IP Phone
5310 IP Conference Unit	No	No	Yes	No	Yes	Yes	Yes
Cordless (DECT) Handset / Headset	No	No	No	No	Yes	Yes	Yes
Line Interface Module	No	No	Yes	No	Yes	Yes	Yes
IP PKM 12/48	No	No	Yes	No	Yes	Yes	No
GigE Stand	No	Yes	Yes	Yes	Yes	Yes	No (embedded support)
5610 IP DECT Handset / IP DECT Stand	No	Yes	Yes	Yes	Yes	Yes	Yes



Powering Options	5304 IP Phone	5312 IP Phone	5324 IP Phone	5320 IP Phone	5330 IP Phone	5340 IP Phone	5360 IP Phone
Ethernet / AC Power Adaptor Support (48 V DC LAN Power)	Yes	Yes	Yes	Yes	Yes	Yes	Yes
802.3af Power-over-Ethernet Compliant	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Power Consumption							
Idle	2.03W	2.43W	2.43W	3.20W	3.20W	3.20W	10/100 Gb 4.2W 4.8W
Typical	2.88W	3.23W	3.23W	4.30W	4.80W	4.80W	7.4W 8.6W
Maximum	2.03W	3.87W	3.87W	5.30W	5.80W	5.80W	7.9W 9.2W

Cisco® (Pre-standard) Power Dongle	No	No	No	No	Yes	Yes	No
------------------------------------	----	----	----	----	-----	-----	----

Display	5304 IP Phone	5312 IP Phone	5324 IP Phone	5320 IP Phone	5330 IP Phone	5340 IP Phone	5360 IP Phone
Color	No	No	No	No	No	No	Yes
Illumination	Reflective Backlit White	Reflective Backlit White	Reflective Backlit White	Reflective Non-backlit	Transmissive FSTN with White LED Backlight	Transmissive FSTN with White LED Backlight	Transmissive FSTN with White LED Backlight
Size (Diagonal)	2 Lines x 20 Characters	2 Lines x 20 Characters	2 Lines x 20 Characters	15 cm (6 in)	15 cm (6 in)	15 cm (6 in)	17.8 cm (7 in)
Number of Pixels (w x h)	160 X 28	160 X 28	160 X 28	160 x 320	160 x 320	160 x 320	480 x 800
Pixel Size	.43 x .43 mm	.43 x .43 mm	.43 x .43 mm	.37 x .40 mm	.37 x .40 mm	.37 x .40 mm	.19 x .19 mm
Contrast Adjust	Yes	Yes	Yes	Yes	Yes	Yes	No
Brightness Adjust	No	No	No	N/A	Yes	Yes	Yes
Auto Dimming	Yes	Yes	Yes	N/A	Yes (Programmable)	Yes (Programmable)	Yes (Programmable)
Backlight Off Capability	No	No	No	N/A	Yes (Screensaver)	Yes (Screensaver)	Yes

Indicators	5304 IP Phone	5312 IP Phone	5324 IP Phone	5320 IP Phone	5330 IP Phone	5340 IP Phone	5360 IP Phone
Feature / Line Appearance LEDs	2	12	24	8	24	48	48
Message Waiting LED	0	0	0	0	3	6	6
Hold	No	Yes (Flashes orange)	Yes (Flashes orange)	Yes (Flashes orange)	Yes (Flashes orange)	Yes (Flashes orange)	Yes (Flashes orange)
Hold Button	No (Definable)	Red	Red	Red	Red	Red	Red
Line LED Color	Orange	Orange / Green	Orange / Green	Orange / Green	Orange / Green	Orange / Green	Orange / Green
Ringer LED	Orange	Orange	Orange	Orange	Orange	Orange	Orange
Microphone / Mute LED	No	Orange	Orange	Orange	Orange	Orange	Orange

Function Keys	5304 IP Phone	5312 IP Phone	5324 IP Phone	5320 IP Phone	5330 IP Phone	5340 IP Phone	5360 IP Phone
Number of Programmable Feature Keys	8	12	24	8	24	48	48
Self-labeling Feature Keys	No	No	No	Yes	Yes	Yes	Yes
Fixed Feature Keys	2	10	10	10	10	10	10
Softkeys	0	0	3	3	3	6	6
Multiline	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hold	No (Definable)	Yes	Yes	Yes	Yes	Yes	Yes
Redial	No (Definable)	Yes	Yes	Yes	Yes	Yes	Yes
Cancel	No (Definable)	Yes	Yes	Yes	Yes	Yes	Yes
Volume Up / Down Keys	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Ringer Up / Down Keys	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Message Key	No (Definable)	Yes	Yes	Yes	Yes	Yes	Yes
Transfer / Conference Key	No (Definable)	Yes	Yes	Yes	Yes	Yes	Yes
Call Forward (On / Off) Key	No (Definable)	Yes (Definable)	Yes (Definable)	Yes (Soft-key)	Yes (Soft-key)	Yes (Soft-key)	Yes (Soft-key)
Menu Key	No	Yes	Yes	Yes	Yes	Yes	Yes
Phonebook / Directory Key	No (Definable)	Yes (Via Menu Key)	Yes (Via Menu Key)	Yes (Via Menu Key)	Yes (Via Menu Key)	Yes (Via Menu Key)	Yes
Mute Key	No	Yes	Yes	Yes	Yes	Yes	Yes
Speakerphone Key	No	Yes	Yes	Yes	Yes	Yes	Yes
Programming Key / Superkey	No (Definable)	Yes	Yes	Yes (Via Menu Key)	Yes (Via Menu Key)	Yes (Via Menu Key)	Yes (Via Menu Key)

Acoustic Functions	5304 IP Phone	5312 IP Phone	5324 IP Phone	5320 IP Phone	5330 IP Phone	5340 IP Phone	5360 IP Phone
Ringling Volume Adjust	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Handset Volume Adjust	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hands-free Speakerphone	No	Yes	Yes	Yes	Yes	Yes	Yes
Hands-free	None	Full Duplex	Full Duplex	Full Duplex	Full Duplex	Full Duplex	Full Duplex
Wideband Audio Hardware	No	No	No	Yes	Yes	Yes	Yes
On-Hook Dialing	No	Yes	Yes	Yes	Yes	Yes	Yes
On-Hook Call Announce (Paging Receive Capability)	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Off Hook Call Announce	No	Yes	Yes	Yes	Yes	Yes	Yes
Amplified Receive >12dB	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hearing Aid Compatible (HAC) Handset	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Ring Warble / Pitch Adjust	Yes	Yes	Yes	Yes	Yes	Yes	Yes



Embedded Applications	5304 IP Phone	5312 IP Phone	5324 IP Phone	5320 IP Phone	5330 IP Phone	5340 IP Phone	5360 IP Phone
Brightness (On, Off, Adjust)	N/A	N/A	N/A	N/A	Yes	Yes	Yes
Call Forward (Quick)	N/A	N/A	N/A	Yes	Yes	Yes	Yes
Call History (50 Entries)	No	No	No	Yes	Yes	Yes	Yes
Conference Controller	No	No	No	No	Yes	Yes	Yes
Cordless	No	No	No	No	Yes	Yes	Yes
Help	No	No	No	Yes	Yes	Yes	Yes
HTML	No	No	No	Yes	Yes	Yes	Yes
People	No	No	No	No	No	Yes	Yes
Settings	No	No	No	Yes	Yes	Yes	Yes
Screen Saver	No	No	No	No	Yes	Yes	Yes
Visual Voice Mail (Embedded Messaging)	No	No	No	No	Yes	Yes	Yes

Systems / Software Requirement	5304 IP Phone	5312 IP Phone	5324 IP Phone	5320 IP Phone	5330 IP Phone	5340 IP Phone	5360 IP Phone
Mitel 3300 IP Communications Platform / MCD	3300 Rls 9.0 (UR1) or later	3300 Rls 9.0 (UR1) or later	3300 Rls 9.0 (UR1) or later	MCD Rls 4.0 SP1 or later	3300 Rls 8.0 (UR1) or later	3300 Rls 9.0 (UR1) or later	MCD Rls 4.0 SP1 or later
Mitel 5000 Communications Platform (CP)	Rls 3.2 or later	Rls 3.0 or later	Rls 3.0 or later	Rls 3.2 or later	Rls 3.0 or later	Rls 3.0 or later	Rls 4.0 or later
Mitel SX-200 IP Communications Platform (ICP)	Rls 4.0 (UR5) or later	Rls 4.0 (UR5) or later	Rls 4.0 (UR5) or later	N/A	Rls 4.0 (UR3) or later	Rls 4.0 or later	N/A
SIP Software Platform	SIP Rls 7.2 or later	SIP Rls 7.2 or later	SIP Rls 7.2 or later	SIP Rls 8.0 or later	SIP Rls 7.2 or later	SIP Rls 7.2 or later	Future
Teleworker Platform (MBG)	Rls 5.2 SP1 or later	Rls 5.0 or later	Rls 5.0 or later	Rls 5.2 SP1 or later	Rls 4.5 or later	Rls 4.1 or later	Rls 5.2 SP1 or later
HTML Toolkit	N/A	N/A	N/A	Rls 2.0 or later	Rls 1.0 or later	Rls 1.0 or later	Rls 2.1 or later

Global Headquarters	U.S.	EMEA	CALA	Asia Pacific
Tel: +1(613) 592-2122	Tel: +1(480) 961-9000	Tel: +44(0)1291-430000	Tel: +1(613) 592-2122	Tel: +61(0) 2 9023-9500
Fax: +1(613) 592-4784	Fax: +1(480) 961-1370	Fax: +44(0)1291-430400	Fax: +1(613) 592-7825	Fax: +61(0) 2 9023-9501

www.mitel.com

For more information on our worldwide office locations, visit our website at www.mitel.com/offices

THIS DOCUMENT IS PROVIDED TO YOU FOR INFORMATIONAL PURPOSES ONLY. The information furnished in this document, believed by Mitel to be accurate as of the date of its publication, is subject to change without notice. Mitel assumes no responsibility for any errors or omissions in this document and shall have no obligation to you as a result of having made this document available to you or based upon the information it contains.



M MITEL (design) is a registered trademark of Mitel Networks Corporation. All other products and services are the registered trademarks of their respective holders.

© Copyright 2010, Mitel Networks Corporation. All Rights Reserved.

GD 372_6622 PN 51006181RJ-EN